


Engineered Fastening Solutions For Solar Applications

Challenges In The Solar Industry

Solar industry manufacturers are under intense pressure to reduce installation costs, improve joining performance, and optimize assembly processes. At STANLEY, we work with you and your team to provide global engineering expertise to tackle these challenges.



Through Global Engineering Expertise, Our Solutions Aim To:



Holistic Solutions

TVELS

Complete Array Of Solutions Fasteners and tools

Early Involvement & Application Engineering

Assembly Tools Supply • Unique cordless systems • Flexible modalities - tools-on-rent concept in select territories

On-Site Training For Assembly Tools

Design & Installation Support Experienced team with international experience

After-Sales Service & Spares



Residential & Commercial Applications



Utility Scale Applications - Thermosolar

At STANLEY, we understand that producing Concentrating Solar Power (CSP) from trackers or heliostat towers requires reliable fastening to meet specific challenges. Our range of fastening systems ensure the lowest total cost of ownership for utility scale applications.



🔿 Monobolt® | NeoBolt® XT

- Assembly of collector bars
- Permanent joining
- Structural lockbolts and blind rivets
- \bullet NeoBolt® XT installs with AV Tool Range
- Monobolt® installs with ProSet® PB3400 & Avdel® 7287



- Spiralock®
- Serviceable joining
 Threaded Spiralock® for double-sided access



NeoBolt® XT

- Lattice girder assembly
- Permanent joining








○ NeoBolt® | NeoBolt® XT


- Assembly of support bars
- Double-side access
- Permanent joining
- Structural lockbolts
- \bullet Installs with PB2500N NeoBolt®
- Cordless Tool and AV Tool Series



Hexsert®

- Facet assembly
- One-side access
- Blind rivet threaded insert with hexagonal body with improved torque-to-turn
- Installs with NB08PT-18






heoBolt® | NeoBolt® XT

- Lattice girder support center
- Double-side access
- Permanent joining, structural lockbolts
- Installs with PB2500N NeoBolt® Cordless Lockbolt Tool and AV Tool Series









Specialty Locknuts & Washers

vibration-resistant applications

• Serviceable joining

• Threaded Spiralock® for double-sided access • WedgeLock® for

& Plastic Routing Clips


• Wire retention

- Cross bars to torque tube assembly
- Heavy-duty structural blind fastener lockbolt with high strength and vibration- and tamper-resistance
- Installs with AV Tool Series and Avdel® 7287



Photovoltaic (PV) Trackers - Torque Tube Assembly Solutions

Discover STANLEY Engineered Fastening lockbolt fastener solutions for torque tube assemblies. Avbolt® provides high-strength, tamper-resistant fastening for heavy-duty structural applications with high tensile and shear strength and quick installation speed with just single-sided access required. Neobolt® XT features a no pin-break and swage collar for high strength and unmatched vibration- and temperature-resistance in heavy duty applications such as torque tube assembly.





Fasteners	
oice	Finish
T + Flange Collar	Magni / 600 hrs.
	Magni / 600 hrs.

Assembly Tools





Fasteners


hoice	Finish
XT + Flange Collar	Magni / 600 hrs.
	Magni / 600 hrs.

Assembly Tools



Specialty Applications

Floating solar panels are increasingly becoming very popular in many markets around the world. This is just one example of the numerous specialty applications where STANLEY solutions provide advanced engineering and the most appropriate, reliable fastening solution. In floating solar applications, our specialized product range can also be used for bottom anchoring, bank anchoring, and hybrid anchoring.



Klamp-Tite® Structural

- Permanent joining
- Structural blind rivets
- Ideal for plastic assembly
- Installs with POP® ProSet® PB3400





Floating solar panels installation

Monobolt® \bigcirc • Permanent joining • Structural blind rivets for single-side access • Multi-grip rivet • Installs with ProSet® PB3400 and Avdel® 7287 -O Self-Drilling Screws and Lock Nuts





- Connection of adjacent floats on which solar panels are mounted in a floating solar panel installation
- High-strength connection allowing flexibility of movement at the joint
- Easy to maintain and replace
- High durability and performance in highly corrosive environments (water, heat, salt)



Blind Rivets & Lockbolts

NEOBOLT[®] | NEOBOLT[®] XT

High-strength, vibration-resistant, and eco-friendly, the NeoBolt® nonbreakstem lockbolt fastening system is designed for use in heavy-duty structural applications.

- High shear and tensile strength
- Unmatched vibration-resistance
- No pin-break
- High clamp force
- Fast assembly
- Sizes: 3/16" (4.8mm) 1" (25.4mm)
- Material: steel or aluminum
- Head style: round
- Collar option: flanged

AVBOLT®

Designed for use in heavy-duty fastening applications, the Avbolt® is a structural blind fastener with high strength and tamper-resistance ideal for installation in areas with restricted access.

- Vibration-resistant
- One-side access assembly
- Heavy-duty structural applications
- High shear and tensile strength
- High clamp force
- Quick installation speed
- Sizes: 3/16" (4.8mm) 3/4" (19mm)
- Material: steel

MONOBOLT®

Monobolt® blind rivets are designed and developed for demanding applications where safety and performance are paramount.

- Vibration-resistant
- Multi-grip capability
- High shear and tensile strength
- Stops sheet movement in non-standard holes
- Large gap-closing capability
- Visible mechanical lock for easy inspection
- Sizes: 3/16" (4.8mm) 3/8" (10mm)
- Material: steel, aluminum, stainless steel
- Head style: protruding, countersunk





HEMLOK®

This structural breakstem fastener has exceptional shear and tensile strength and a large blind side bearing area against the rear sheet. The large blind side bearing area spreads the load and prevents creep.

- Strong, vibration-resistant joints
- High residual clamp force
- Large bearing area ideal for thin sheet materials
- Exceptional shear and tensile strength
- Eliminates loose stem rattle and leaks
- Sizes: 1/4" (6.4mm)

AVIBULB® XT | AVINOX® XT

Avibulb® XT is a steel blind rivet with a wide grip range and is ideal for thin sheet applications and use with softer materials. Avinox® XT combines high performance with excellent cosmetics and is ideal for thin sheet materials.

- High strength and wide hole tolerance
- Versatile multi-grip capability
- Resists vibration and joint-slippage
- High residual clamp load
- Spreads bearing load/clamp on the rear sheet
- Sizes: 1/4" (6.4mm)

KLAMP-TITE® STRUCTURAL

Ideal for use in thin sheet or low-strength materials, the Klamp-Tite® structural rivet features a split-tail formation that spreads the tail bearing load/clamp load on the rear sheet.

- High strength and wide hole tolerance
- High resistance to pull-out loads
- Multi-grip capability accomodates wide variations in material thickness
- Visible lock for quick and easy inspection
- Sizes: 3/16" (4.8mm) to 1/4" (6.4mm)
- Material: aluminum
- Head style: protruding









Threaded Fasteners

SPIRALOCK®

Spiralock® a technologically superior fastening system for threaded joint applications that are subjected to heavy vibration and challenging environments.

- Improved joint integrity and more evenly distributed load
- Elimination of secondary locking devices
- Can be applied to a wide range of internally threaded fasteners and tapped holes

WEDGELOCK®

WedgeLock® is a highly engineered, vibration-resistant fastening solution tackling major solar application loosening issues by providing positive consistent mechanical lock.

- Integrated design that wedges the fastener in place to resist loosening
- SEMS assembly no lost washers
- No misoriented washers and SKU reduction 2/3 to 1

HEXSERT®

Hexsert® provides a blind threaded insert with a hexagonal body for high torque-to-turn and pull-out performance, particularly in soft metals.

- Can be used for very thin sheet materials from 0.50mm
- Can be installed in pre-coated applications without damaging the surface
- Sizes: M3 M12, Materials: Steel, Stainless Steel
- Headforms: low profile and large flange

NELSON® Stud Welding

WELD STUDS

Drawn-arc weld studs provide robust attachments for structural welding solar applications to save time and provide the highest return of investment.

- CFL/CPL-MD/MP/MPF/MR threaded stud for general purpose attachments
- Other welding studs available incluide S3L-SD Shear Connectors and TBL-MI Internally Tapped Studs for construction, shipbuilding, and plate-mounting applications

STUD WELDING EQUIPMENT

Battery-powered stud welding equipment with superior performance to suit a wide range of solar applications.

- N550c Arc Charger provides portable arc welding from a 120V wall outlet
- N900b Flexible Arc Control System is battery-powered and capable of delivering hundreds of welds on a single charge. Available in EMEA region in 2023





PANEL CONNECTION PIN

- High-precision fastener with accurate thread profile
- Rust-free threaded plastic fasteners to withstand high salination water
- Reduced weight
- High-strength, glass-filled (up to 50%) + Polypropylene

CABLE TIES

- Lighweight part capable of managing wide range of cable sizes
- Serviceable by incorporating a quick-releasing flex finger into the ratchet
- Affiliated products: cable straps, winder clips, cable retainers, cable channels

ELECTRICAL COVERINGS

- Anti-rotation protection
- Easy manual assembly with wide range of size capabilities
- High cost-effectiveness
- Highly customizable for customer requirements

PLASTIC ROUTING CLIPS

- Parts for all fastening points and assembly areas
- Avoids voltage peaks by using conductive materials
- Stable characteristics across a wide range of temperatures

PLASTIC NUTS

- Lightweight
- Molded thread
- Low-torque, application-specific design
- Cost-effective production
- Optimized for installation space

















Installation Tools & Systems

BATTERY TOOLS

PB2500N

- Installs rivets up to 3/16" (4.8mm) Installs rivets up to 1/4" (6.4mm)
- Fast and flexible installation
- Robust 20V Max battery powered by DEWALT

PB2500 Smart

- Installs 1,100 Steel 4.8mm Open End fasteners on a single charge
- Integrated process monitoring
- DEWALT lithium-ion battery

Proset[®] PB3400

- High-powered, long stroke
- Robust 20V Max battery powered
- by DEWALT

NB08PT-18

• Installs 900 (M6 steel) blind rivet nuts on a single charge

- •Built-in touchscreen and pull-to-force and pull-to-stroke
- DEWALT lithium-ion battery

HYDRO-PNEUMATIC TOOLS

AVDEL® 7287

- Quick and efficient installation of lockbolts
- Extremely robust design
- Pulls large rivets in a single stroke
- Long hose gives one-sided flexibility Less than 2.5 kg with single-trigger actuation
- Long-life components for reduced maintenance
- Smooth trigger actuation
- Vibration less than 2.5 ms2


AV™ TOOL SERIES

- Install high-strength rivets and lockbolts up to 1-1/8" (28.6mm)
- High-performance range of Enerpac[®] pumps
- Robust and durable design • Ergonomic and highly
- maneuverable • AV5 installs up to 3/8" (10mm)
- structural and NeoBolt® XT fasteners and 5/16" (8mm) Avbolt® fasteners
- AV10 installs up to 3/8" (10mm) structural and Avbolt® fasteners


- AV15 installs up to 1/2" (12.7mm) structural and Avbolt® fasteners
- AV20 installs up to 1/2" (12.7mm) NeoBolt® XT and Avbolt® • AV25 installs up to 3/4" (19.1mm)
- NeoBolt® XT fasteners and 5/8" (16mm) Avbolt® fasteners • AV30 installs up to 3/4" (19mm)
- structural fasteners and 5/8" Avbolt® fasteners • AV50 installs up to 1-1/8" (28.6mm) NeoBolt® XT fasteners

More than 50 locations around the world provide the most extensive range of fastening solutions and

STANLEY Engineered Fastening provides engineering expertise to the world's leading solar companies.









Our Global Presence







Product Portfolio





Stanley Engineered Fastening — a division of Stanley Black and Decker — is the global leader in precision fastening and assembly solutions. Our industry-leading brands, Avdel®, Integra[™], Nelson®, Optia[™], POP®, STANLEY® Assembly Technologies, and Tucker®, elevate what our customers create. Backed by a team of passionate and responsive problem-solvers, we empower engineers who are changing the world.

STANLEY ENGINEERED FASTENING FAMILY OF BRANDS

AVDEL. INTEGRA NELSON OPTIN POP STANLEY. TUCKER

©2022 STANLEY Engineered Fastening. All Rights Reserved

Avbolt®, Avdelok®, Avibulb®, Avinox®, Avseal®, Avtainer®, Hemlok®, Hexsert®, Maxlok®, Monobolt®, NeoBolt®, NeoSpeed®, Spiralock®, Stavex® and Versa-Nut® are registered trademarks of STANLEY Engineered Fastening